

DEPARTMENT OF OCEANOGRAPHY  
COLLEGE OF SCIENCES  
OLD DOMINION UNIVERSITY  
NORFOLK, VIRGINIA 23529

**RESIDENCE TIME OF PARTICLE REACTIVE POLLUTANTS  
IN THE COASTAL SEA BED: CONTROL BY RESUSPENSION  
AND SEA BED MIXING PROCESSES**


By

Donald J.P. Swift, Principal Investigator


Final Report  
For the period ended May 31, 1995

Prepared for  
Office of Naval Research  
Ballston Tower One  
800 North Quincy St.  
Arlington, VA 22217-5660

Under  
**Research Contract N00014-93-1-0922**  
Joseph H. Kravitz, Scientific Officer  
Scientific Officer Code: 3242



Submitted by the  
Old Dominion University Research Foundation  
P.O. Box 6369  
Norfolk, VA 23508-0369



March 1996

19970414 145

# REPORT DOCUMENTATION PAGE

FORM APPROVED  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of the collection of information, including suggestions for reducing the burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE  
March 1996

3. REPORT TYPE AND DATES COVERED  
Final Report - period ended May 31, 1995

4. TITLE AND SUBTITLE OF REPORT RESIDENCE TIME OF PARTICLE REACTIVE POLLUTANTS IN THE COASTAL SEA BED: CONTROL BY RESUSPENSION AND SEA BED MIXING PROCESSES.

5. FUNDING NUMBERS

n00014-93-1-0922

6. AUTHOR(S)

DONALD J.P. SWIFT, PRINCIPAL INVESTIGATOR

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  
OLD DOMINION UNIVERSITY RESEARCH FOUNDATION  
P.O. BOX 6369  
NORFOLK, VA 23508-0369  
DEPARTMENT OF OCEANOGRAPHY

8. PERFORMING ORGANIZATION REPORT NUMBER:

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)  
OFFICE OF NAVAL RESEARCH  
800 NORTH QUINCY ST.  
ARLINGTON, VA 22217

10. SPONSORING/MONITORING AGENCY REPORT NUMBER:

11. SUPPLEMENTARY NOTES:

12a. DISTRIBUTION AVAILABILITY STATEMENT

UNCLASSIFIED; UNLIMITED

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

Our study was designed to develop methods and algorithms that will allow us to predict the residence time of particle-reactive pollutants in the coastal seabed. We have developed methods for computing the frequency and intensity of resuspension of bottom sediments by flow events, methods for computing the diffusion coefficient for biological mixing of the sea bed directly from the species structure and population density of the benthic infauna, and methods for establishing the rate of sedimentation by comparison of profiles of radioisotope of differing half lives.

14. SUBJECT TERMS

15. NUMBER OF PAGES:

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT:

UNCLASSIFIED

18. SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

19. SECURITY CLASSIFICATION OF ABSTRACT

UNCLASSIFIED

20. LIMITATION OF ABSTRACT

UNCLASSIFIED

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to *stay within the lines* to meet optical scanning requirements.

**Block 1. Agency Use Only (Leave blank).**

**Block 2. Report Date.** Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

**Block 3. Type of Report and Dates Covered.** State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

**Block 4. Title and Subtitle.** A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

**Block 5. Funding Numbers.** To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit Accession No.

**Block 6. Author(s).** Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

**Block 7. Performing Organization Name(s) and Address(es).** Self-explanatory.

**Block 8. Performing Organization Report Number.** Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

**Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es).** Self-explanatory.

**Block 10. Sponsoring/Monitoring Agency Report Number.** (If known)

**Block 11. Supplementary Notes.** Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

**Block 12a. Distribution/Availability Statement.** Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

**DOD** - See DoDD 5230.24, "Distribution Statements on Technical Documents."

**DOE** - See authorities.

**NASA** - See Handbook NHB 2200.2.

**NTIS** - Leave blank.

**Block 12b. Distribution Code.**

**DOD** - Leave blank.

**DOE** - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

**NASA** - Leave blank.

**NTIS** - Leave blank.

**Block 13. Abstract.** Include a brief (*Maximum 200 words*) factual summary of the most significant information contained in the report.

**Block 14. Subject Terms.** Keywords or phrases identifying major subjects in the report.

**Block 15. Number of Pages.** Enter the total number of pages.

**Block 16. Price Code.** Enter appropriate price code (*NTIS only*).

**Blocks 17. - 19. Security Classifications.** Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

**Block 20. Limitation of Abstract.** This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

# RESIDENCE TIME OF PARTICLE REACTIVE POLLUTANTS IN THE COASTAL SEA BED: CONTROL BY RESUSPENSION AND SEA BED MIXING PROCESSES

Donald J. P. Swift, Alan W. Niedoroda (adjunct),\* and G. T. F. Wong,  
Department of Oceanography, and D. Dauer, Department of Biology  
Old Dominion University  
Norfolk, VA, 23504

## Purpose of Study

Our study was designed to develop methods and algorithms that will allow us to predict the residence time of particle-reactive pollutants in the coastal seabed. We have developed methods for computing the frequency and intensity of resuspension of bottom sediments by flow events, methods for computing the diffusion coefficient for biological mixing of the sea bed directly from the species structure and population density of the benthic infauna, and methods for establishing the rate of sedimentation by comparison of profiles of radioisotope of differing half lives.

## Background

Toxic pollutants entering estuarine and coastal waters are known to preferentially associate with the particulate phase, and their dispersal is therefore controlled by the natural cycle of fine sediment transport. A key aspect of this cycle is the exchange of sediment particles between the water column and the sea floor. As contaminated particles accumulate on the sea floor, they pass downward through a zone subject to biogenic mixing, and to resuspension by storm and tidal currents, with secondary release of the pollutant into the water column. Eventually, however, the sediment is so deeply buried that it is no longer accessible to these processes, and has have entered the zone of permanent burial. By measuring the rates of these competing processes (accumulation, mixing, resuspension), we will be able to predict hypothetical contaminant budgets under a variety of conditions.

## Approach

In order to determine potential pattern of contaminant dispersal on the floor of southern Chesapeake Bay, we have undertaken fluid dynamical, radiogeochemical and biological investigations. We have developed a numerical model of boundary layer physics that will allows us to compute the frequency and intensity of particle resuspension, from wind, wave, and tidal current data. We have also collected cores in order to measure radionuclide profiles. The radionuclides  $^{234}\text{Th}$ ,  $^{137}\text{Cs}$ , and  $^{210}\text{Pb}$  serve as proxies for the behavior of particle reactive pollutants. In addition, measurement of vertical concentration gradients of radionuclides with differing half lives has allowed us to estimate the other two critical rates, namely accumulation and mixing. We have also analyzed the composition of the benthic infaunal community as a function of depth. By applying random walk theory, we

---

\* Woodward Clyde Consultants  
376 Hartfield Rd.  
Tallahassee FL 32303

have generated independent estimates of bioturbative mixing. Finally, we have developed computational schemes that have allowed us to predict scenarios of contaminant release.

## Results

Box cores and vibracores from the Baystem Plain of Southern Chesapeake Bay consist of a sandy clayey silt, containing a polychaete-molluscan community that extends, with vertically decreasing population density, to 30 cm depth. Calculations indicate depth-averaged bioturbation coefficient for the upper 10 cm on the order of  $1 \times 10^6 \text{ cm}^2 \text{ yr}^{-1}$ . Radiographs indicate that the silt is well mixed in the summertime when winds are mild and the fauna is most active; in the Winter, however, the top several centimeters are frequently current stratified. Accumulation rates on the Baystem Plain range from 0 mm  $\text{yr}^{-1}$  near areas of tidal scour to 7 mm  $\text{yr}^{-1}$  in protected marginal bays. Computations indicate that the annual resuspension depth due to wave-tide interaction ranges from 0.4 to 1.6 cm in the shallower portions of the Baystem Plain (Fig. 1), and may be several times greater when wind-driven currents coincide with these interactions.

Burial histories for hypothetical contaminant layers vary from "rapid entombment" in marginal coves where accumulation is rapid relative to mixing, to "slow release" scenarios near the Bay Mouth, where both mixing and resuspension are intense. In a sample computation of such a scenario (Fig. 2) a site starts with an initial loading of the seabed of 0.8 mg of a hypothetical contaminant per  $\text{cm}^2$  of the sea floor. As burial proceeds, much of the particle-reactive contamination leaks away through upward diffusion of the contaminant, coupled with repeated storm flushing of the surface layer. Eventually the contaminant layer is deeper than burrowers can reach, and the seabed contamination stabilizes at 5.6 mg of contaminant per cm of the sea floor.

## Publications

Niedoroda, A. W., , D. J. P. Swift, G. T. F. Wong, and D. Dauer, 1993. Residence time of particle-reactive pollutants in the estuary bed, Lower Chesapeake Bay: numerical simulation of resuspension and contaminant loss. Program with Abstracts, Estuarine Research Conference, Hilton Head, SC., November 16-18

Swift, D. J. P., A. W. Niedoroda , G. T. F. Wong, and D. Dauer, 1993. Residence time of particle-reactive pollutants in the estuary bed, Lower Chesapeake Bay: Biology-based Estimates of sea bed mixing rates, Program with Abstracts, Estuarine Research Conference, Hilton Head, S.C., November 16-18

Niedoroda, A. W., Reed, C. and Swift, D. J. P., in preparation. Environmental management of contaminated sediments: factors controlling contamination, burial, and redistribution.




Fig. 1.  $^{210}\text{Pb}$  inventories and accumulation rates in Southern Chesapeake Bay.




Fig. 2. This model run illustrates a burial history in which bioturbation is significant. For moderate to high values of the bioturbation coefficient, surface concentration and surface flux approach low but appreciable limiting values with time. Total mass released increases continuously.